



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/473,650

12/29/1999

CARL R. STEVENSON

STEVENSON-8

1262

32498

7590

07/13/2006

CAPITOL PATENT & TRADEMARK LAW FIRM, PLLC

ATTN: JOHN CURTIN

P.O. BOX 1995

VIENNA, VA 22183

EXAMINER

ADDY, ANTHONY S

ART UNIT

PAPER NUMBER

2617

DATE MAILED: 07/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/473,650

Applicant(s)

STEVENSON, CARL R.

Examiner

Anthony S. Addy

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 27 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

### DETAILED ACTION

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2617.

2. This action is in response to applicant's amendment filed on December 27, 2005.

**Claims 1-21** are pending in the present application.

### *Response to Arguments*

3. Applicant's arguments with respect to **claims 1-21** have been considered but are moot in view of the new ground(s) of rejection.

### *Claim Rejections - 35 USC § 103*

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5. **Claims 1 and 4-7** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bevan et al., U.S. Patent Number 6,489,923 (hereinafter Bevan)** and further in view of **Harbin et al., U.S. Patent Number 5,701,583 (hereinafter Harbin)**.

Regarding claim 1, Bevan teaches a wireless communication system (abstract) comprising: a plurality of antennas 20, 22, 30 (figure 3) for use by one receiver (abstract, column 6 lines 57-65, and column 7 lines 8-12 and 35-39); provide a signal received from each of the plurality of antennas 20, 22, 30 to the receiver (abstract and

Art Unit: 2617

column 7 lines 8-12 and 35-39) and to impart Doppler modulation (e.g., Doppler induced bearing bias) onto a received signal, wherein one or more of the received signals from the antennas 20, 22, 30 are severely degraded (e.g., due to high level of Doppler spread, frequency shift or offset, or multipath) (abstract, figure 4, column 2 lines 6-20, column 6 lines 35-42, and column 7 lines 40-45); and a receiver (figures 3 and 4) having direction finding means for determining the bearing of a received signal (i.e., as determined by the beam producing maximum output) (column 4 lines 22-38) in accordance with a phase thereof (abstract, column 2 lines 6-20, column 6 lines 28-62, and column 7 lines 7-39), wherein said receiver is configured to eliminate multipath channel impairments caused at least by the severely degraded signals (e.g., due to high level of Doppler spread, frequency shift or offset, or multipath) (abstract, column 1 line 65 - column 2 line 20, column 6 lines 35-42, and column 7 lines 40-45).

Bevan fails to explicitly teach a scanner adapted to scan through the plurality of antennas to at least substantially eliminate mutipath nulls.

In an analogous field of endeavor, Harbin teaches a scanner adapted to scan through a plurality of antennas to at least substantially eliminate mutipath nulls (see col. 8, lines 1-62, col. 13, lines 61-65 and Fig. 2; shows a scanned array controller 34 [i.e. reads on a scanner adapted to scan through the plurality of antennas (i.e. an array of collinear dipole antennas 24) to at least substantially eliminate mutipath nulls (i.e. dynamic beam shaping for null steering)]).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Bevan with Harbin to include a scanner adapted to scan

Art Unit: 2617

through the plurality of antennas to at least substantially eliminate mutipath nulls, in order to employ a steerable antenna with a specified value of gain and dynamic beam shaping for coverage shaping or null-steering to eliminate destructive interference between the beams provided in a coverage area, thereby preventing the formation of nulls and other beam pattern distortions as taught by Harbin (see col. 3, lines 11-20 and col. 13, lines 61-64).

Regarding claims 4 and 5, Bevan in view of Harbin teaches all the limitations of claim 1. Bevan further teaches the plurality of antennas are equidistant and can be spaced equally apart around a circular array (circumference of a circle formed about a center point) (column 4 lines 44-59).

Regarding claim 6, Bevan in view of Harbin teaches all the limitations of claim 1. Bevan further teaches the plurality of antennas comprises at least three antennae 20, 22, 30 (figures 3 and 4).

Regarding claim 7, Bevan in view of Harbin teaches all the limitations of claim 1. Bevan further teaches the scanner continuously scans and connects each of the plurality of antennae 20, 22, 30 in turn to the receiver for a substantially equal period of time (dwell time T) (column 7 lines 8-12).

6. **Claims 2 and 3** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bevan et al., U.S. Patent Number 6,489,923 (hereinafter Bevan)** and **Harbin et al., U.S. Patent Number 5,701,583 (hereinafter Harbin)** as applied to claim 1 above, and

Art Unit: 2617

further in view of **Schuchman et al., U.S. Patent Number 6,148,195 (hereinafter Schuchman)**.

Regarding claims 2 and 3, Bevan in view of Harbin teaches all the limitations of claim 1 except that scan rate of the scanner is at least 100 hertz or at least 2000 hertz.

In the same field of endeavor, Schuchman et al. further show and disclose that a cellular telephone (wireless) communication system, comprising, among other components, an antenna resolver 40 (scanner) (figure 11) adapted to scan through a plurality of antennas SA1-SAN and provide a signal received from each of the plurality of antennas SA1-SAN to a receiver (column 6 lines 40-55) wherein the scan rate of the antenna resolver 40 (scanner) (figure 11) for scanning each of the plurality of antennas SA1-SAN is at least 100 hertz (at least 2000 hertz for the plurality of antennas SA1-SAN) (figure 10 and column 6 lines 22-39).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the scan rate used by Schuchman et al. into the system of Bevan and Harbin for the purpose of optimal sampling of each of the antennas 20, 22, 30.

7. **Claims 8-17, 20, and 21** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bevan et al., U.S. Patent Number 6,489,923 (hereinafter Bevan)** and **Harbin et al., U.S. Patent Number 5,701,583 (hereinafter Harbin)** and **Borras et al., U.S. Patent Number 5,303,240 (hereinafter Borras)** and further in view of **Sole et al., U.S. Patent Number 6,150,987 (hereinafter Sole)**.

Regarding claims 8, 9 and 13, Bevan teaches a method for communication in a wireless communication environment (see abstract) comprising: providing a common transceiver with a plurality of antennas 20, 22, 30 (figure 3, column 6 lines 57-62, and column 7 lines 8-12); continuously sampling through the said plurality of antennas 20, 22, 30 for a substantially fixed period of time (e.g., dwell time T) by connecting each of the plurality of antennas 20, 22, 30 to a receiver and to impart Doppler modulation (e.g., Doppler induced bearing bias) onto a received signal (abstract, figure 4, column 2 lines 6-20, column 6 lines 35-42, column 7 lines 8-12 and 35-45); and determining the bearing of the received signal (i.e., as determined by the beam producing maximum output) (column 4 lines 22-38) in accordance with a phase thereof (abstract, column 2 lines 6-20, column 6 lines 28-62, and column 7 lines 7-39).

Bevan fails to explicitly teach a scanner adapted to scan through the plurality of antennas to at least substantially eliminate mutipath nulls caused at least by severely degraded received signal samples.

In an analogous field of endeavor, Harbin teaches a scanner adapted to scan through a plurality of antennas to at least substantially eliminate mutipath nulls (see col. 8, lines 1-62, col. 13, lines 61-65 and Fig. 2; shows a scanned array controller 34 [i.e. reads on a scanner adapted to scan through the plurality of antennas (i.e. an array of collinear dipole antennas 24) to at least substantially eliminate mutipath nulls (i.e. dynamic beam shaping for null steering)]).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Bevan with Harbin to include a method of using a scanner to

Art Unit: 2617

scan through the plurality of antennas to at least substantially eliminate multipath nulls, in order to employ a steerable antenna with a specified value of gain and dynamic beam shaping for coverage shaping or null-steering to eliminate destructive interference between the beams provided in a coverage area, thereby preventing the formation of nulls and other beam pattern distortions as taught by Harbin (see col. 3, lines 11-20 and col. 13, lines 61-64).

However, Bevan in view of Harbin fails to explicitly teach the plurality of antennas 20, 22, 30 are operated as a phased array during a transmit mode.

Borras clearly show and disclose a communication system for determining the direction for transmitting and receiving a signal comprising an array of phased antennas 10 (figure 2) used for receiving as well as transmitting a signal (see column 2 lines 51-66 and claims 1, 4, 5, 7-9, and 12-16).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teachings of Bevan and Harbin with the teachings of Borras, in order to use the plurality of antennas as a phased array during a transmission mode. Efficient use of the system gain can be achieved by using the antennas as a phased array during a transmit mode.

However, the combination of Bevan, Harbin and Borras fails to explicitly teach the wireless communication environment is a substantially stationary or quasi-stationary wireless communication environment (claim 9) such as a wireless local loop (claim 13).

Sole clearly show and disclose an antenna assembly and a method for communicating using said assembly in a substantially stationary or quasi-stationary



Art Unit: 2617

wireless communication environment such as a wireless local loop, said method including, among other steps, the steps of scanning an antenna and finding the bearing of a received signal (see abstract, column 1 line 55 - column 2 line 47, column 3 lines 40-59, and column 4 lines 17-28 and 47-65).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to further modify the combined teachings of Bevan, Harbin and Borrás with the teachings of Sole to use said method of communication in a substantially stationary or quasi-stationary wireless communication environment such as, for example, a wireless local loop, as taught by Sole et al., for the purpose of enhancing the performance in said environment.

Regarding claims 10, 11, 12, 14, 15, 16 and 17, the combination of Bevan, Harbin, Borrás and Sole teaches all the limitations of claim 9 except that the quasi-stationary wireless communication environment is a wireless local area network, a cordless telephone or modem, a cellular or PCS telephone, a trunked mobile radio system or a mobile satellite communications system.

Nonetheless, the Examiner takes Official Notice of the fact that all the above-mentioned environments are well known wireless communication environments and Bevan (abstract), Harbin (column 7, lines 1-30) and Borrás (abstract and column 1 lines 6-9) disclose that their teachings apply to wireless communications systems.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to apply the combination of Bevan, Harbin, Borrás and

Art Unit: 2617

Sole in any of the above-mentioned well known environments in the art for the purpose of enhancing the performance in any of said environments.

Regarding claims 20 and 21, the combination of Bevan, Harbin, Borrás and Sole teaches all the limitations of claim 8. Bevan further teaches the plurality of antennas are equidistant and can be spaced equally apart around a circular array (circumference of a circle formed about a center point) (column 4 lines 44-59).

7. **Claims 18 and 19** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Bevan et al., U.S. Patent Number 6,489,923 (hereinafter Bevan)** and **Harbin et al., U.S. Patent Number 5,701,583 (hereinafter Harbin)** and **Borrás et al., U.S. Patent Number 5,303,240 (hereinafter Borrás)** and **Sole et al., U.S. Patent Number 6,150,987 (hereinafter Sole)** as applied to claim 8 above, and further in view of **Schuchman et al., U.S. Patent Number 6,148,195 (hereinafter Schuchman)**.

Regarding claims 18 and 19, the combination of Bevan, Harbin, Borrás and Sole teaches all the limitations of claim 8 except that scan rate of the scanner is at least 100 hertz or at least 2000 hertz.

In the same field of endeavor, Schuchman further show and disclose that a cellular telephone (wireless) communication system, comprising, among other components, an antenna resolver 40 (scanner) (figure 11) adapted to scan through a plurality of antennas SA1-SAN and provide a signal received from each of the plurality of antennas SA1-SAN to a receiver (column 6 lines 40-55) wherein the scan rate of the antenna resolver 40 (scanner) (figure 11) for scanning each of the plurality of antennas

Art Unit: 2617

SA1-SAN is at least 100 hertz (at least 2000 hertz for the plurality of antennas SA1-SAN) (figure 10 and column 6 lines 22-39).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the scan rate used by Schuchman et al. into the method of Bevan, Harbin, Borrás and Sole for the purpose of optimal sampling of each of the antennas 20, 22, 30.

### ***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Reudink et al., U.S. Patent Number 6,005,516 discloses diversity among narrow antenna beams.

Kott, U.S. Patent Number 5,343,211 discloses phased array antenna with wide null.

Locher et al., U.S. Patent Number 5,940,033 discloses apparatus, methods and computer program for evaluating multiple null forming antenna processors and jammers.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony S. Addy whose telephone number is 571-272-7795. The examiner can normally be reached on Mon-Thur 8:00am-6:30pm.


Art Unit: 2617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duc M. Nguyen can be reached on 571-272-7503. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Anthony S. Addy  
July 10, 2006



**DUC NGUYEN**  
**PRIMARY EXAMINER**